Delta™

Children's Products

Customer Service:

Web Site: www.deltachildrensproducts.com

Delta Children's Products
114 West 26th Street
New York, NY 10001
Tele.212-645-9033

www.jpma.org
JPMA CERTIFIED
Conforms to ASTM F1169 Safety Standards

www.jpma.org
JPMA CERTIFIED
Conforms to ASTM F1821 Safety Standards

THIS PRODUCT IS NOT INTENDED FOR INSTITUTIONAL OR COMMERCIAL USE.

If you have any questions or missing parts, contact us. DO NOT return product parts to the store from where it was purchased before contacting Delta Children's Products Customer Service

Before assembly read these instructions and all warnings included. Make sure that all pre-assemled parts are tight. Store this instruction booklet for future reference. The appearance of your crib may be different from that pictured in this booklet. ADULT ASSEMBLY REQUIRED due to presence of small parts during assembly.

To register your product for important safety alerts and updates to your product please visit **http://deltaenterprise.com/register.asp**

DECEMBER 4, 2009 6902-R6

©2009 DELTA ENTERPRISE CORP.

⚠**CAUTION**: ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27 1/4 INCHES BY 51 5/8 INCHES WITH A THICKNESS NOT EXCEEDING 6 INCHES.

⚠**WARNING**: CRIB

INFANTS CAN SUFFOCATE ON SOFT BEDDING. NEVER ADD A PILLOW, COMFORTER OR PADDING.

FAILURE TO FOLLOW THESE WARNINGS AND THE ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.

TO REDUCE THE RISK OF SIDS, PEDIATRICIANS RECOMMEND HEALTHY INFANTS BE PLACED ON THEIR BACKS TO SLEEP, UNLESS OTHERWISE ADVISED BY YOUR PHYSICIAN.

ADULT ASSEMBLY REQUIRED DUE TO SMALL PARTS.

*READ ALL INSTRUCTIONS BEFORE ASSEMBLING CRIB. **KEEP INSTRUCTIONS FOR FUTURE USE.**

***STRANGULATION HAZARD:** STRINGS CAN CAUSE STRANGULATION! **DO NOT** PLACE ITEMS WITH A STRING AROUND A CHILD'S NECK, SUCH AS HOOD STRINGS OR PACIFIER CORDS. **DO NOT** SUSPEND STRINGS OVER A CRIB OR ATTACH STRINGS TO TOYS.

***STRANGULATION HAZARD:** TO HELP PREVENT STRANGULATION TIGHTEN ALL FASTENERS. A CHILD CAN TRAP PARTS OF THE BODY OR CLOTHING ON LOOSE FASTENERS.

***STRANGULATION HAZARD: DO NOT** PLACE CRIB NEAR WINDOW WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.

***FALL HAZARD:** WHEN CHILD IS ABLE TO PULL TO A STANDING POSITION, SET MATTRESS TO LOWEST POSITION AND REMOVE BUMPER PADS, LARGE TOYS AND OTHER OBJECTS THAT COULD SERVE AS STEPS FOR CLIMBING OUT. THIS CRIB HAS AN ADJUSTABLE MATTRESS SUPPORT. FOR THE CONVENIENCE OF THE PARENT WHEN THE BABY IS VERY SMALL, THE MATTRESS SUPPORT MAY BE USED IN THE HIGHEST POSITION. IMPORTANT: WITH THE MATTRESS SUPPORT AND MATTRESS IN THE HIGHEST POSITION, BE ABSOLUTELY SURE THAT THE TOP OF THE FRONT CRIB SIDE IS AT LEAST 3 INCHES HIGHER THEN THE TOP SURFACE OF THE MATTRESS. IF IT IS NOT, LOWER THE MATTRESS SUPPORT AND THE MATTRESS TO THE NEXT HIGHEST POSITION.

***FALL HAZARD:** WHEN CHILD IS ABLE TO CLIMB OUT OR REACHES THE HEIGHT OF 35 IN. (90 CM), THE CRIB SHALL NO LONGER BE USED, THE CHILD SHOULD BE PLACED IN A YOUTH OR REGULAR BED.

*CHECK THIS PRODUCT FOR DAMAGED HARDWARE, LOOSE JOINTS, MISSING PARTS OR SHARP EDGES BEFORE AND AFTER ASSEMBLY AND FREQUENTLY DURING USE. **DO NOT USE CRIB** IF ANY PARTS ARE MISSING, DAMAGED OR BROKEN. CONTACT DELTA CHILDREN'S PRODUCTS FOR REPLACEMENT PARTS AND INSTRUCTIONAL LITERATURE IF NEEDED. DO NOT SUBSTITUTE PARTS.

***DO NOT** USE A WATER MATTRESS WITH THIS CRIB.

*IF REFINISHING, USE A NON-TOXIC FINISH SPECIFIED FOR CHILDREN'S PRODUCTS.

***NEVER** USE PLASTIC SHIPPING BAGS OR OTHER PLASTIC FILM AS MATTRESS COVERS BECAUSE THEY CAN CAUSE SUFFOCATION.

*INFANTS CAN SUFFOCATE IN GAPS BETWEEN CRIB SIDES AND A MATTRESS THAT IS TOO SMALL.

*ENSURE A SAFE ENVIRONMENT FOR THE CHILD BY CHECKING REGULARLY, BEFORE PLACING THE CHILD IN THE CRIB, THAT EVERY COMPONENT IS PROPERLY AND SECURELY IN PLACE.

*TO AVOID HEAD INJURY, DO NOT ALLOW ANY CHILD TO PLAY UNDERNEATH THE CRIB.

TODDLER BED

⚠WARNING ENTRAPMENT/STRANGULATION HAZARD

•INFANTS HAVE DIED IN **TODDLER BEDS** FROM ENTRAPMENT AND STRANGULATION. FAILURE TO FOLLOW THESE WARNINGS AND THE ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.
•**NEVER** USE BED WITH CHILDREN UNDER 15 MONTHS.
•**NEVER** PLACE BED NEAR WINDOWS WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.
•**DO NOT** PLACE ITEMS WITH A STRING, CORD, OR RIBBON AROUND A CHILD'S NECK, SUCH AS HOOD STRINGS OR PACIFIER CORDS.
•**DO NOT** SUSPEND STRINGS OVER A TODDLER BED FOR ANY REASON.
•THE USERS MAXIMUM WEIGHT SHALL NOT BE GREATER THAN 50 LB (22.7kg).
•THE MATTRESS INTENDED FOR USE ON THE BED SHALL BE A FULL-SIZE CRIB MATTRESS HAVING MINIMUM DIMENSIONS OF 51 5/8 IN. (1310 MM) IN LENGTH, 27 1/4 IN. (690 MM) IN WIDTH AND 4 IN. (100 MM) IN THICKNESS.
•STABILIZER BAR MUST BE USED WHEN CONVERTED TO A TODDLER BED.

NOTES ON ASSEMBLY:
-DURING THE ASSEMBLY PROCESS WHENEVER USING SCREWS OR BOLTS, CHECK EACH BY PLACING THE SCREW/BOLT ON THE DIAGRAM OF THE ITEM WHICH IS DRAWN ACTUAL SIZE AND DESIGN. BE SURE TO USE THE PROPER SIZE AND SHAPE SPECIFIED IN THE INSTRUCTIONS.
-TO ASSEMBLE THIS UNIT YOU MAY BE REQUIRED TO PLACE THE UNIT ON IT'S SIDE AND FACE. IT IS STRONGLY RECOMMENDED THAT ASSEMBLY IS DONE ON A SOFT, NON-ABRASIVE SURFACE TO AVOID DAMAGING THE FINISH.

NOTES ON USE:
KEEP CHILDREN AND OTHERS SAFE BY FOLLOWING THESE SIMPLE RULES:
- **DO NOT** ALLOW ANY CHILD TO PLAY ON FURNITURE
- **DO NOT** ALLOW CLIMBING ON ANY PIECE OF FURNITURE.
- **DO NO**T ALLOW HANGING FROM ANY PIECE OF FURNITURE.
- ALWAYS MONITOR YOUR CHILD'S ACTIVITY WHEN IN THE NURSERY.

NOTES ON CARE AND MAINTENANCE:
- **DO NOT** SCRATCH OR CHIP THE FINISH.
- INSPECT THE CRIB PERIODICALLY, CONTACT DELTA CHILDREN'S PRODUCTS FOR REPLACEMENT PARTS OR QUESTIONS.
- **DO NOT** STORE THE CRIB OR ANY PARTS IN EXTREME TEMPERATURES AND CONDITIONS SUCH AS A HOT ATTIC OR A DAMP, COLD BASEMENT. THESE EXTREMES CAN CAUSE A LOSS OF STRUCTURAL INTEGRITY.
-AN OCCASIONAL WAXING, PLUS REGULAR CLEANING WITH MILD SOAP ON A SOFT CLOTH, FOLLOWED BY A CLEAN DAMP CLOTH, THEN A DRY CLOTH, WILL PRESERVE THE ORIGINAL LUSTER AND BEAUTY OF THIS FINE FINISH.
-**DO NOT** USE ABRASIVE CHEMICALS.
-**DO NOT** SPRAY CLEANERS DIRECTLY ONTO FURNITURE, SPRAY ONTO CLEANING CLOTH AND THEN APPLY TO FURNITURE. TEST IN AN INCONSPICUOUS AREA BEFORE APPLYING TO ENTIRE UNIT.
-LIFT SLIGHTLY WHEN MOVING ON CARPETING TO PREVENT LEG BREAKAGE.
-USE OF A VAPORIZER NEAR FURNITURE WILL CAUSE WOOD TO SWELL AND FINISH TO PEEL.

PARTS



A. LEFT CRIB END



B. RIGHT CRIB END



C. LEFT CRIB POST

D. RIGHT CRIB POST



E. CRIB BACK RAIL



F. STABILIZER BAR



G. CRIB FRONT RAIL

POUCH ATTACHED TO MATTRESS SUPPORT
- KEEP INSTRUCTIONS AND ANY EXTRA HARDWARE AND TOOLS IN THIS POUCH AFTER ASSEMBLY
WARNINGS RELATED TO THE SAFE USE OF THIS CRIB ARE PRINTED ON THE POUCH



H. MATTRESS SUPPORT

PARTS - HARDWARE AND TOOLS



J. BOLT - 66mm x 10



K. BOLT - 53mm x 4



L. BARREL NUT x 6

M. METAL DOWEL x 2



N. BOLT - MATTRESS SUPPORT x 4

P. WOOD DOWEL x 2

ALL HARDWARE ON THIS PAGE
IS SHOWN FULL SIZE AND
WITH THE CORRECT DESIGN.
THE PARTS CAN BE MATCHED
TO THE PICTURES.



M4 ALLEN WRENCH
SUPPLIED



FLAT HEAD SCREWDRIVER
REQUIRED FOR ASSEMBLY
- NOT INCLUDED

SECTION 1: CRIB ASSEMBLY
STEP 1

PARTS AND TOOLS REQUIRED TO COMPLETE STEP



A. LEFT CRIB END



B. RIGHT CRIB END



K. BOLT - 53mm x 4

M4 ALLEN WRENCH SUPPLIED



C. LEFT CRIB POST

D. RIGHT CRIB POST



ATTACH THE LEFT CRIB END (PART A) TO THE LEFT CRIB POST (PART B) USING (2) BOLT - 53mm (PART K). BE SURE THAT THE SIDE OF THE POSTS WITH ONLY TWO HOLES ARE FACING THE SAME WAY.
TIGHTEN WITH THE M4 ALLEN WRENCH.
REPEAT FOR THE RIGHT CRIB END (PART B) AND THE RIGHT CRIB POST (PART D).



FINISHED LEFT CRIB SIDE



FINISHED RIGHT CRIB SIDE

SECTION 1: CRIB ASSEMBLY
STEP 2

PARTS AND TOOLS REQUIRED TO COMPLETE STEP

FINISHED LEFT CRIB SIDE



FINISHED RIGHT CRIB SIDE





E. CRIB BACK RAIL



J. BOLT - 66mm x 4

P. WOOD DOWEL x 2



M4 ALLEN WRENCH SUPPLIED

INSTALL THE CRIB BACK RAIL (PART E) TO THE FINISHED RIGHT CRIB SIDE AND FINISHED LEFT CRIB SIDE FROM STEP 1 USING (2) BOLT - 66mm (PART J) AND (1) WOOD DOWEL (PART P) ON EACH END AS SHOWN BELOW.
TIGHTEN WITH THE M4 WRENCH.



SECTION 1: CRIB ASSEMBLY
STEP 3

PARTS AND TOOLS REQUIRED TO COMPLETE STEP



FROM STEP 2

F. STABILIZER BAR





L. BARREL NUT x 2

M. METAL DOWEL x 2

J. BOLT - 66mm x 2

FLAT HEAD SCREWDRIVER REQUIRED FOR ASSEMBLY - NOT INCLUDED



M4 ALLEN WRENCH SUPPLIED

BOTH ENDS



ATTACH THE STABILIZER BAR (PART F) TO THE LEFT AND RIGHT CRIB ENDS USING (1) METAL DOWEL (PART M), (1) BOLT-66mm (PART J) AND (1) BARREL NUT (PART L) AT EACH END. BE CAREFUL TO SPREAD THE CRIB SIDE POSTS OUT BEFORE INSERTING THE STABILIZER BAR. SPREAD ONLY AS MUCH AS IS NECESSARY
USE THE SCREWDRIVER TO HOLD THE BARRELNUT IN THE PROPER ALIGNMENT.

DO NOT TIGHTEN AT THIS TIME



SECTION 1: CRIB ASSEMBLY
STEP 4

PARTS AND TOOLS REQUIRED TO COMPLETE STEP



FROM STEP 3



N. BOLT - MATTRESS SUPPORT x 4



H. MATTRESS SUPPORT

ALL CORNERS



THIS SIDE UP



ATTACH THE MATTRESS SUPPORT (PART H) IN ALL CORNERS USING (1) MATTRESS SUPPORT BOLT (PART N) IN EACH CORNER.

TIGHTEN ONLY FINGER TIGHT AT THIS TIME.

THIS CRIB HAS (3) ADJUSTMENT POSITIONS, USE THE HIGHEST ONLY FOR NEW BORNS, MOVE THE MATTRESS DOWN AS THE CHILD GROWS.

⚠ WARNING:

FALL HAZARD: WHEN CHILD IS ABLE TO PULL TO A STANDING POSITION, SET MATTRESS TO LOWEST POSITION AND REMOVE BUMPER PADS, LARGE TOYS AND OTHER OBJECTS THAT COULD SERVE AS STEPS FOR CLIMBING OUT.

⚠ **WARNINGS ON POUCH MUST FACE UP.**

SECTION 1: CRIB ASSEMBLY
STEP 5

PARTS AND TOOLS REQUIRED TO COMPLETE STEP

FROM STEP 4



G. CRIB FRONT RAIL

J. BOLT - 66mm x 4

L. BARREL NUT x 4

M4 ALLEN WRENCH SUPPLIED

FLAT HEAD SCREWDRIVER REQUIRED FOR ASSEMBLY - NOT INCLUDED



INSTALL THE CRIB FRONT RAIL (PART G) BETWEEN THE POSTS ON THE CRIB SIDES. THE POSTS CAN BE GENTELY MOVED APART TO MAKE ROOM FOR THE CRIB FRONT RAIL, BE SURE THE BOLTS FROM STEP 3 HAVE **NOT** BEEN TIGHTENED.
INSERT THE (4) BARREL NUTS (PART L) INTO THE HOLES IN THE BOTTOM OF THE RAILS OF THE CRIB FRONT RAIL. PLACE BETWEEN THE CRIB SIDES TAKING CARE NOT TO SCRATCH THE FINISH. INSTALL THE (4) BOLTS - 66MM (PART J). USE THE SCREWDRIVER TO HOLD THE BARREL NUTS IN PROPER ALIGNGMEN **TIGHTEN ALL BOLTS FROM PREVIOUS STEPS AT THIS TIME USING THE M4 ALLEN WRENCH, USE THE OPEN WRENCH TO TIGHTEN THE MATTRESS SUPPORT BOLTS FROM STEP 4.**

SECTION 1: CRIB ASSEMBLY
STEP 6

PARTS AND TOOLS REQUIRED TO COMPLETE STEP



FROM STEP 5

INSTRUCTION BOOKLET

Delta™
Children's Products

THIS PRODUCT IS NOT INTENDED FOR INSTITUTIONAL OR COMMERCIAL USE.

PLEASE WRITE TO: CUSTOMER SERVICE
114 West 26th Street
New York, NY 10001
CALL OR FAX: Tel. 212 - 645 - 9033
Fax. 212 - 645 - 9032
OR GO TO : www.deltachildrensproducts.com

If you have any questions or missing parts, contact us. DO NOT return product parts to the store from where it was purchased before calling us at:
(212) 645-9033

Before assembly read these instructions and all warnings included. Make sure that all pre-assemled parts are tight. Store this instruction booklet for future reference.

ADULT ASSEMBLY REQUIRED due to presence of small parts during assembly.

©2004 DELTA ENTERPRISE CORP.



PLACE THE INSTRUCTION BOOKLET IN THE POUCH ATTACHED TO THE MATTRESS SUPPORT.
KEEP ALL INSTRUCTIONS AND PARTS IN A SAFE LOCATION.

READ ALL WARNINGS ON PAGE 2.

SECTION 2: TODDLER BED CONVERSION
STEP 1

PARTS AND TOOLS REQUIRED TO COMPLETE STEP



FINISHED CRIB

M4 ALLEN WRENCH SUPPLIED

⚠ WARNING: SEE PAGE 3 FOR TODDLER BED WARNINGS

⚠ STABILIZER BAR MUST BE USED WHEN CONVERTED TO A TODDLER BED.

THIS CRIB CAN BE CONVERTED INTO A TODDLER BED. TO DO SO REMOVE THE SIDE INSTALLED IN STEP 5 OF SECTION 1 CRIB ASSEMBLY.
THE MATTRESS SUPPORT MUST BE IN THE LOWEST POSITION.
STORE ALL HARDWARE SAFELY.
READ ALL WARNINGS ON PAGE 3
IF THIS UNIT WAS NOT ASSEMBLED AS A CRIB FOLLOW STEPS 1-4 IN SECTION 1 CRIB ASSEMBLY. THE MATTRESS SUPPORT MUST BE IN THE LOWEST POSITION.

SECTION 2: TODDLER BED CONVERSION
STEP 2

THE FINISHED TODDLER BED CAN ALSO BE USED AS A LOVESEAT SOFA.

SECTION 3: FULL SIZE BED CONVERSION
STEP 1

PARTS AND TOOLS REQUIRED TO COMPLETE STEP



M4 ALLEN WRENCH
SUPPLIED

PART OF THIS UNIT CAN BE USED AS A HEAD BOARD FOR A FULL SIZE BED.
REMOVE THE CRIB FRONT RAIL (REVERSE STEP 5).
REMOVE THE MATTRESS SUPPORT (REVERSE STEP 4).
REMOVE THE STABILIZER BAR (REVERSE STEP 3).
AS SHOWN BELOW REMOVE THE (4) BOLT-53mm (PART K) INSTALLED IN STEP 1.
STORE ALL PARTS SAFELY - SEE PAGE 3.



SECTION 3: FULL SIZE BED CONVERSION
STEP 2

BELOW IS AN EXAMPLE OF THE USE AS
A HEAD BOARD.
PURCHASE BED RAILS SEPERATELY.
CONTACT DELTA CHILDREN'S
PRODUCTS FOR HARDWARE OR
INFORMATION.



Delta™

Children's Products

Customer Service:
Web Site: www.deltachildrensproducts.com
Delta Children's Products
114 West 26th Street
New York, NY 10001
Tele.212-645-9033

Warranty: This Delta Crib is warranted to be free from defects for a period of 1 year from the date of purchase under normal use. This warranty extends only to the original retail purchaser and is valid only when supplied with proof of purchase, or if received as a gift, when the registration is on file with Delta.

To register your product for important safety alerts and updates to your product please visit **http://deltaenterprise.com/register.asp**

Please do not return this item to the store before contacting us about missing parts or with any questions.

To report a problem, please log on to **www.deltachildrensproducts.com** and click the Customer Service Tab, log on to **www.deltaenterprise.com/customer_service.asp**, or contact us by phone at (212) 645-9033.

In the event that you need to contact our customer service department please have the Style Number and Lot Number available. Use the space below to make note of those numbers. They can be found on the label on the Crib End bottom rail.

Style No.:_____

Lot No. : _____

Pack Date:_____

Date of Purchase: _____ (you should also keep your receipt)